



OPEN TECNOLOGY®



MARVO



G943 5000 DPI WIRED GAMING MOUSE



G943

TECH SPECS:

- Sensor: Optical, Pixart 3325
- DPI: 1000-1600-2400-3200-5000 (default)
- Buttons: 6 (programmable)
- Switch rating: 20 million clicks
- Backlight: RGB
- Polling rate: up to 1000 Hz
- Interface: USB 2.0
- Cable length: 1.8 m
- Size: 128 x 70 x 40 mm
- OS support: Windows 7 or newer

Refined right-handed ergonomic design

5000 DPI high-performance optical gaming sensor

RGB backlight with multiple selectable lighting schemes



Quantity 20 /Carton



9D 6200 DPI WIRED GAMING MOUSE



9 BUTTONS



PROGRAMMABLE




BACKLIGHT



G941

TECH SPECS:

- Sensor: Optical, PAW 3327DB+BY8832
- DPI: 800-1200-1800-3000-6200 (default)
- Buttons: 9 (programmable)
- Switch rating: 20 million clicks
- Backlight: RGB
- Polling rate: up to 1000 Hz
- Interface: USB 2.0
- Cable length: 1.6 m
- Size: 127 x 70 x 40 mm
- OS support: Windows 7 or newer



Quantity 20 /Carton



8D 4800 DPI WIRED GAMING MOUSE



4800 DPI
OPTICAL SENSOR



PROGRAMMABLE



BACKLIGHT



M428

TECH SPECS:

- Sensor: Optical
- DPI: 800-1600-2400-3200-4000-4800 (default)
- Buttons: 8 (programmable)
- Switch rating: 3 million clicks
- Backlight: RGB
- Polling rate: 125 Hz
- Interface: USB 2.0
- Cable length: 1.5 m
- Size: 125 x 74 x 39 mm
- OS support: Windows 7 or newer

Enhanced control for
palm and claw grip styles

Quick, 6-steps DPI
Selection button

RGB backlighting with
multiple effects



Quantity 20 /Carton



6400 DPI GAMING MOUSE



6400 DPI
OPTICAL SENSOR



PROGRAMMABLE



BACKLIGHT

Fast Key to execute a double click with only one key press

Quick, 5-steps DPI Selection button

High-profile design with optimum full palm support



M355

TECH SPECS :

- Sensor: Optical
- DPI: 800-1200-2000-3200-6400 (default)
- Buttons: 9 (programmable)
- Switch rating: 3 million clicks
- Backlight: 7 colors
- Polling rate: up to 1000 Hz
- Interface: USB 2.0
- Cable length: 1.5 m
- OS support: Windows 7 or newer



Quantity 20 /Carton



6400 DPI GAMING MOUSE



6400 DPI
OPTICAL SENSOR



PROGRAMMABLE



BACKLIGHT

RGB backlight with multiple selectable lighting schemes

Ultra-lightweight, as low as 76g, thanks to special perforated-honeycomb chassis design

High-profile design with optimum full palm support



M399

TECH SPECS:

- Sensor: Optical
- DPI: 800-1600-2400-3200-4800-6400 (default)
- Buttons: 6 (programmable)
- Switch rating: 3 million clicks
- Backlight: RGB
- Interface: USB 2.0
- Cable length: 1.5 m
- Weight: 76g
- Size: 125 x 64 x 40 mm
- OS support: Windows 7 or newer



Quantity 20 /Carton



3200 DPI GAMING MOUSE



7 BUTTONS



PROGRAMMABLE



BACKLIGHT



M359

TECH SPECS:

- Sensor: Optical
- DPI: 800-1600-2400-3200
- Buttons: 7 (programmable)
- Switch rating: 5 million clicks
- Backlight: RGB
- Interface: USB 2.0
- Weight: 75g
- Cable length: 1.5 m
- Size: 127 x 66 x 39 mm
- OS support: Windows 7 or newer

Low-profile design with
reduced palm support

3200 DPI
800-1600-2400-3200

RGB backlight
RGB backlight with multiple effects



Quantity 20 /Carton



10000 DPI GAMING MOUSE



10 BUTTONS



PROGRAMMABLE



BACKLIGHT



G942

TECH SPECS:

- DPI: 1000-1500-2400-3200-4000-10000
- Buttons: 10 (programmable)
- Switch rating: 10 million clicks
- Backlight: RGB
- Polling rate: up to 1000 Hz
- Interface: USB 2.0
- Cable length: 1.7 m
- Weight: 95g
- Size: 128 x 64 x 38 mm
- OS support: Windows 7 or newer

Low-profile design with reduced palm support brings you better experience

6-Step DPI switch
1000-1500-2400-3200-4000-10000

RGB backlight
Colorful RGB Backlight with multiple effects



Quantity 20 /Carton



12000 DPI GAMING MOUSE



6 BUTTONS



PROGRAMMABLE



BACKLIGHT



G952

TECH SPECS:

- Sensor: Optical
- Buttons: 6
- DPI: 1200-2400-3600-4800-6000-12000
- Switch rating: 10 million clicks
- Backlight: RGB
- Polling rate: up to 1000 Hz
- Cable length: 1.8 m
- Size: 108 x 58 x 38 mm
- Weight: 55 g
- OS support: Windows 7 or newer

ADVANCED CUSTOMIZATION

Ultra-lightweight, as low as 55 g, advanced customization software

6-Step DPI switch

1200-2400-3600-4800-6000-12000

RGB backlight

Colorful RGB Backlight with multiple effects



Quantity 20 /Carton



10000 DPI 2.4G GAMING MOUSE



6 BUTTONS



PROGRAMMABLE



BACKLIGHT



M792W

TECH SPECS:

- Sensor: PMW3325
- Wireless specifications: 2.4G
- Operating distance: 10 m
- Buttons: 6
- DPI: 1000-1600-2400-3200-4000-10000
- Switch rating: 10 million clicks
- Backlight: RGB
- Polling rate: 1000 Hz
- Cable specifications: TYPE-C
- Cable length: 1.8 m
- Size: 108 x 58 x 38 mm
- Battery specifications: 600mAH
- Weight: 85 g
- OS support: Windows 7 or newer

ADVANCED CUSTOMIZATION

Advanced customization
software

6-Step DPI switch

1000-1600-2400-3200-
4000-10000

DUAL-MODE GAMING MOUSE

2.4G wireless & wired
dual-mode gaming
mouse - RGB backlight



Quantity 20 /Carton



7200 DPI GAMING MOUSE



6 BUTTONS



PROGRAMMABLE



BACKLIGHT



AMBIDEXTROUS DESIGN

The ambidextrous design guarantees a balanced and secure feel for both claw and palm grip-styles

6-Step DPI switch

800-1600-2400-3200
-4800-7200

RGB backlight

Colorful RGB Backlight with multiple effects



M429

TECH SPECS:

- Sensor: Optical
- Buttons: 6
- DPI: 800-1600-2400-3200-4800-7200
- Switch rating: 3 million clicks
- Backlight: RGB
- Polling rate: 125 Hz
- Cable length: 1.6 m
- Size: 124 x 68 x 40 mm
- Weight: 80 g
- OS support: Windows 7 or newer



Quantity 20 /Carton



WIRELESS GAMING MOUSE



8 BUTTONS



6-STEP DPI



BACKLIGHT



M728W

TECH SPECS:

- Sensor: Optical
- Buttons: 8
- Wireless specifications: 2.4G
- Operating distance: 10 m
- DPI: 800-1200-1600-2400-3200-4800
- Switch rating: 10 million clicks
- Backlight: RGB
- Polling rate: up to 500 Hz
- Cable length: 1.6 m
- Size: 126 x 75 x 41 mm
- Weight: 110 g
- OS support: Windows 7 or newer

6-Step DPI switch

800-1200-1600-2400-
3200-4800

RGB backlight

Colorful RGB Backlight
with multiple effects

WIRELESS GAMING MOUSE

Wireless gaming mouse,
adapt to the needs of all
kinds of games



Quantity 20 /Carton



WIRELESS GAMING MOUSE



7 BUTTONS



6-STEP DPI



BACKLIGHT



M729W TECH SPECS:

- Sensor: Optical
- DPI: 800-1200-1600-2400-3200-4800
- Buttons: 7
- Switch rating: 10 million clicks
- Backlight: RGB
- Polling rate: up to 500 Hz
- Operating distance: 10 m
- Battery specification: 700 mAH
- TYPE-C cable length: 1.6 m
- USB cable specification: TYPE-C
- OS support: Windows 7 or newer

6-Step DPI switch

800-1200-1600-2400-
3200-4800

RGB backlight

Colorful RGB Backlight
with multiple effects

WIRELESS GAMING MOUSE

Wireless gaming mouse,
adapt to the needs of all
kinds of games



Quantity 20 /Carton



DUAL-MODE 10000 DPI GAMING MOUSE



8 BUTTONS



PROGRAMMABLE



BACKLIGHT



M791W

TECH SPECS:

- Sensor: Optical
- Wireless specifications: 2.4G
- Operating distance: 10 m
- Buttons: 8
- DPI: 1000-1600-2400-3200-4000-10000
- Switch rating: 20 million clicks
- Backlight: RGB
- Polling rate: 1000 Hz
- Cable specifications: TYPE-C
- Cable length: 1.6m
- Size: 126 x 75 x 41 mm
- Weight: 110 g
- OS support: Windows 7 or newer

6-Step DPI switch

1000-1600-2400-3200-
4000-10000

RGB backlight

RGB backlight with 7
lighting modes

DUAL-MODE GAMING MOUSE

Don't stop gaming: seamlessly switch between wireless and wired (charging) mode



Quantity 20 /Carton



4000 DPI GAMING MOUSE

M15

TECH SPECS:

- Sensor: Optical
- DPI: 800-1600-2400-4000
- Buttons: 6 (programmable)
- Switch rating: 3 million clicks
- Backlight: 7 colors
- Interface: USB 2.0
- Cable length: 1.5 m



6 BUTTONS



PROGRAMMABLE



7 COLORS
BACKLIGHT



Quantity 20 /Carton



12000 DPI GAMING MOUSE

M519

TECH SPECS:

- Sensor: Optical
- DPI: 800-1600-2400-4800-6400-12000(default)
- Buttons: 8 (programmable)
- Switch rating: 5 million clicks
- Backlight: RGB
- Interface: USB 2.0
- Cable length: 1.5 m



6 BUTTONS



PROGRAMMABLE



7 COLORS
BACKLIGHT



Quantity 20 /Carton



M112

TECH SPECS:

- Sensor: Optical
- DPI: 800-1600-2400-4000
- Buttons: 7 (programmable)
- Switch rating: 3 million clicks
- Backlight: 7 colors
- Interface: USB 2.0
- Cable length: 1.5 m
- OS support: Windows 7 or newer



Quantity 20 /Carton



M207

TECH SPECS:

- Sensor: Optical
- DPI: 800-1200-2400-3200
- Buttons: 6
- Switch rating: 3 million clicks
- Backlight: 7 colors
- Interface: USB 2.0
- Cable length: 1.5 m
- OS support: Windows 7 or newer



Quantity 20 /Carton



M209

TECH SPECS:

- Sensor: Optical
- DPI: 1000-1600-3200-6400
- Buttons: 6
- Switch rating: 3 million clicks
- Backlight: 7 colors
- Interface: USB 2.0
- Cable length: 1.5 m
- OS support: Windows 7 or newer



Quantity 20 /Carton



M513

TECH SPECS:

- Sensor: Optical
- DPI: 800-1600-2400-3200-4000-4800
- Buttons: 7 (programmable)
- Switch rating: 3 million clicks
- Backlight: RGB
- Interface: USB 2.0
- Cable length: 1.6 m
- Size: 131 x 70 x 42 mm
- OS support: Windows 7 or newer



Quantity 20 /Carton



M720W

TECH SPECS:

- Sensor: Optical, Pixart 3212
- DPI: 800-1200-1600-2400-3200-4800
- Buttons: 8
- Switch rating: 3 million clicks
- Backlight: 6 colors
- Polling rate: up to 500 Hz
- Operating distance: 10 m
- Power: 1x AA battery
- OS support: Windows 7 or newer



Quantity 20 /Carton



M516

TECH SPECS:

- DPI: 800-1200-2400-4800
- Buttons: 7D (programmable)
- Switch rating: 5 million clicks
- Backlight: RGB
- Polling rate: up to 1000 Hz
- Interface: USB 2.0
- Cable length: 1.6m



Quantity 20 /Carton



MOUSE & MOUSEPAD G909-G1

TECH SPECS:

Mouse specs:

- Sensor: Optical
- DPI: 800-1600-2400-4000
- Buttons: 8
- Switch rating: 3 million clicks
- Backlight: 7 colors
- Interface: USB 2.0
- Cable length: 1.8 m
- OS support: Windows 7 or newer

Mouse specs:

- High-density cloth material for optimized tracking accuracy
- The anti-sweating design prevents edge warping
- Anti-skid rubber base
- Size: 287 x 244 x 3 mm



Quantity 20 /Carton



MOUSE & MOUSEPAD M355-G1

TECH SPECS:

Mouse specs:

- Sensor: Optical
- DPI: 1200-2400-3200-4800 (default)
- Buttons: 9 (programmable)
- Switch rating: 3 million clicks
- Backlight: 7 colors
- Polling rate: up to 1000 Hz
- Interface: USB 2.0
- Cable length: 1.5 m
- OS support: Windows 7 or newer

Mouse specs:

- High-density cloth material for optimized tracking accuracy
- The anti-sweating design prevents edge warping
- Anti-skid rubber base
- Size: 287 x 244 x 3 mm



Quantity 20 /Carton



MH01 HEADSET & MOUSE GAMING COMBO



HEADSET

TECH SPECS:

- Frequency response: 20 Hz - 20 KHz
- Speaker size: 50 mm
- Speaker impedance: $32\Omega \pm 15\%$
- Speaker sensitivity: $120\text{ dB} \pm 3\text{ dB}$
- Microphone type: omnidirectional
- Microphone sensitivity: $-38\text{ dB} \pm 3\text{ dB}$
- Microphone size: 4x1.5 mm
- Backlight: Rainbow
- Connectors: 2x 3.5 mm jack, USB (for LED light)
- Cable length: 2m



BACKLIGHT



SELF-ADJUSTABLE
HEADBAND



STEREO SOUND



Quantity 20 /Carton

MOUSE

TECH SPECS:

- Sensor: Optical
- DPI: 800-1600-2400-3200-4800-6400 (default)
- Buttons: 6 (programmable)
- Switch rating: 3 million clicks
- Backlight: RGB
- Interface: USB 2.0
- Cable length: 1.5 m
- Weight: 76g
- Size: 125 x 64 x 40 mm
- OS support: Windows 7 or newer



6400 DPI
OPTICAL SENSOR



6-STEP DPI



BACKLIGHT



Quantity 20 /Carton



MH-01 HEADSET & MOUSE GAMING COMBO



HEADSET

TECH SPECS:

- Frequency response: 20 Hz - 20 KHz
- Speaker size: 50 mm
- Speaker impedance: $32\Omega \pm 15\%$
- Speaker sensitivity: $120 \text{ dB} \pm 3 \text{ dB}$
- Microphone type: omnidirectional
- Microphone sensitivity: $-38 \text{ dB} \pm 3 \text{ dB}$
- Microphone size: 4x1.5 mm
- Backlight: Rainbow
- Connectors: 2x 3.5 mm jack, USB (for LED light)
- Cable length: 2m



BACKLIGHT



SELF-ADJUSTABLE
HEADBAND



STEREO SOUND



Quantity 20 /Carton



MOUSE

TECH SPECS:

- Sensor: Optical
- DPI: 800-1600-2400-3200-4800-6400 (default)
- Buttons: 6 (programmable)
- Switch rating: 3 million clicks
- Backlight: RGB
- Interface: USB 2.0
- Cable length: 1.5 m
- Weight: 76g
- Size: 125 x 64 x 40 mm
- OS support: Windows 7 or newer



6400 DPI
OPTICAL SENSOR



6-STEP DPI



BACKLIGHT



Quantity 20 /Carton





7.1 SURROUND SOUND GAMING HEADSET



7.1 SURROUND
SOUND



FLEXIBLE
MIC BOOM-ARM



RAINBOW
BACKLIGHT



HG9056

TECH SPECS:

- Sound: 7.1 virtual surround
- Frequency response: 20 Hz - 20 KHz
- Speaker size: 50 mm
- Speaker sensitivity: 110 dB \pm 3 dB
- Microphone type: omnidirectional
- Microphone size: 6 x 2.7 mm
- Microphone sensitivity: -38 dB \pm 3 dB
- Backlight: Rainbow
- Connectors: USB
- Cable length: 2.2 m
- OS support: Windows 7 or newer

Large,
ultra-comfortable
Ear cups



in-line remote control

Rotatable
microphone arm



Quantity 10 /Carton



7.1 SURROUND SOUND GAMING HEADSET



Large,
ultra-comfortable
Ear cups

Intelligent vibration
system



Rainbow LED
backlight

HG9018

TECH SPECS:

- Sound: 7.1 virtual surround
- Frequency response: 20 Hz - 20 KHz
- Speaker size: 40 mm (driver), 30 mm (vibrations)
- Speaker sensitivity: 128 dB \pm 3 dB
- Microphone type: omnidirectional
- Microphone size: 4 x 1.5 mm
- Microphone sensitivity: -42 dB \pm 3 dB
- Backlight: Rainbow
- Connectors: USB
- Cable length: 2.4 m
- OS support: Windows 7 or newer



Quantity 10 /Carton



STEREO GAMING HEADSET



STEREO SOUND



VOLUME CONTROL



BACKLIGHT



HG8902

TECH SPECS:

- Sound: stereo
- Frequency response: 20 Hz - 20 KHz
- Speaker size: 50 mm
- Speaker impedance: 32 Ω
- Speaker sensitivity: 119 dB \pm 3 dB
- Microphone type: omnidirectional
- Microphone size: 6x2.7 mm
- Microphone sensitivity: -38 dB \pm 3 dB
- Backlight: rainbow
- Connectors: USB
- Cable length: 2.1 m

High-sensitivity microphone

Solid, reinforced structural housing

Built-in volume control



Quantity 10 /Carton



STEREO GAMING HEADSET



STEREO SOUND



FLEXIBLE MIC BOOM-ARM



VOLUME CONTROL



H-18321

TECH SPECS:

- Sound: stereo
- Frequency response: 20 Hz - 20 KHz
- Speaker size: 50 mm
- Speaker sensitivity: 118 dB 3 3 dB
- Speaker impedance: 32 Ω
- Microphone type: omnidirectional
- Microphone size: 6x5 mm
- Microphone sensitivity: -58 dB \pm 3 dB
- Connectors: 2x 3.5 mm jack
- Cable length: 2 m

Soft-cushioned, synthetic leather ear cups and headband

Telescopic headband for a secure fit

Closed, over-ear design for powerful bass sounds



Quantity 10 /Carton



STEREO GAMING HEADSET



VOLUME CONTROL



FLEXIBLE MIC BOOM-ARM



BACKLIGHT



High-sensitivity microphone

LED backlight

HG8932PK

TECH SPECS:

- Sound: stereo
- Frequency response: 20 Hz - 20 KHz
- Speaker size: 50 mm
- Speaker sensitivity: 117 dB \pm 3 dB
- Speaker impedance: 21 Ω
- Microphone type: omnidirectional
- Microphone size: 6 x 5 mm
- Microphone sensitivity: -42 dB \pm 3 dB
- Backlight: white LED
- Connectors: 2x 3.5 mm jack, USB (for LED light)
- Cable length: 2 m
- OS support: Windows 7 or newer



Quantity 10 /Carton



WIRED GAMING HEADSET



STEREO
SOUND



50 MM
DRIVER SIZE



ORANGE
BACKLIGHT



Orange led light effect,
light transmission effect unique,
strong appearance game,
there is tension unique,
patented products



The product is designed with
lightweight and comfortable
steel bar headband to ensure
comfortable wearing for long
time use.

Rotatable
microphone arm

HG8916

TECH SPECS :

- Sound: stereo
- Frequency response: 20Hz-20KHz
- Speaker size: 50mm
- Speaker sensitivity: 105dB ± 3dB
- Speaker impedance: (16 + 15%)ff
- Microphone type: omnidirectional
- Microphone size: Φ4* 1.5mm
- Microphone sensitivity: -36dB ± 3dB
- Connectors: USB+3.5mm*2 (with 2 to 1 audio cable)
- Backlight: Orange color
- Cable length: 2.1m
- Weight: 345g



Quantity 10 /Carton



WIRED GAMING HEADSET



STEREO
SOUND



VOLUME
CONTROL



BACKLIGHT



7.1 SURROUND SOUND



In-line control

COOL RGB BACKLIGHT

HG9066

TECH SPECS:

- Sound: stereo
- Frequency response: 20Hz-20KHz
- Speaker size: 50mm
- Speaker sensitivity: 103dB ± 3dB
- Speaker impedance: (32 + 15%)ff
- Microphone type: omnidirectional
- Microphone size: Ø6* 5mm
- Microphone sensitivity: -38dB ± 3dB
- Connectors: USB
- Backlight: RGB
- Cable length: 2.1m
- Weight: 375g



Quantity 10 /Carton



MARVO

2.4G RGB GAMING HEADSET



STEREO SOUND



VOLUME CONTROL



RGB BACKLIGHT



2.4G wireless transmission



HIGH SENSITIVITY MICROPHONE

STEREO SOUND

RGB BACKLIGHT

HG9088W

TECH SPECS:

- Sound: stereo
- Frequency response: 20Hz-20KHz
- Speaker size: 50mm
- Power consumption: 40mA+
- Speaker sensitivity: 110dB ± 3dB
- Speaker impedance: (32 ± 15%)Ω
- Microphone type: omnidirectional
- Microphone size: Ø6* 2.7mm
- Microphone sensitivity: -56dB ± 3dB
- Connectors: USB
- Backlight: Static RGB
- Cable length: 60cm
- Latency: low latency, about 30ms
- Battery: 1000mA
- Sampling rate: bi-directional 48K
- Built-in charge management, charging and NFC work



Quantity 10 /Carton



STEREO GAMING HEADSET



BACKLIGHT



50 MM DRIVER SIZE



VOLUME CONTROL



HG8901

TECH SPECS:

- Sound: stereo
- Frequency response: 20 Hz - 20 KHz
- Speaker size: 50 mm
- Speaker impedance: 32 Ω
- Speaker sensitivity: 119 dB \pm 3 dB
- Microphone type: omnidirectional
- Microphone size: 6x5 mm
- Microphone sensitivity: -38 dB \pm 3 dB
- Backlight: Rainbow
- Connectors: 2 x 3.5 mm jack, USB (for LED light)
- Cable length: 2.1 m



Quantity 20 /Carton

STEREO GAMING HEADSET



BACKLIGHT



40 MM DRIVER SIZE



VOLUME CONTROL



HG8928

TECH SPECS:

- Sound: stereo
- Frequency response: 20 Hz - 20 KHz
- Speaker size: 40 mm
- Speaker sensitivity: 125 dB \pm 3 dB
- Speaker impedance: 32 Ω
- Microphone type: omnidirectional
- Microphone size: 6 x 5 mm
- Microphone sensitivity: -58 dB \pm 2 dB
- Backlight: red LED
- Connectors: 1 x 3.5 mm jack, USB (for LED light), 2 x 3.5 mm jack via included splitter
- Cable length: 2 m
- Compatibility: PC, consoles (PS4, Xbox One)



Quantity 10 /Carton



STEREO GAMING HEADSET



HG8929

TECH SPECS:

- Sound: stereo
- Frequency response: 20 Hz - 20 KHz
- Speaker size: 50 mm
- Speaker sensitivity: 116 dB \pm 3 dB
- Speaker impedance: 32 Ω
- Microphone type: omnidirectional
- Microphone size: 6 x 5 mm
- Microphone sensitivity: -58 dB \pm 2 dB
- Backlight: red LED
- Connectors: 1 x 4-pin 3.5 mm jack, 2 x 3.5 mm jack via included splitter, USB (for LED light)
- Cable length: 2 m
- Compatibility: PC, consoles (PS4, Xbox One)



Quantity 20 /Carton

7.1 SURROUND GAMING HEADSET



HG9049

TECH SPECS:

- Sound: 7.1 virtual surround (PC only), stereo (console and mobile)
- Frequency response: 20 Hz - 20 KHz
- Speaker size: 40 mm
- Speaker sensitivity: 105 dB \pm 3 dB
- Microphone type: omnidirectional
- Microphone size: 4.0 x 1.5 mm
- Microphone sensitivity: -42 dB \pm 3 dB
- Backlight: 7 colors (PC only)
- Connectors: USB (PC only), 3.5 mm jack via included splitter, 2.5 mm jack via included splitter
- Cable length: 2 m
- OS support: Windows 7 or newer



Quantity 10 /Carton



7.1 SURROUND SOUND GAMING HEADSET



BACKLIGHT



7.1 SURROUND SOUND



VOLUME CONTROL



HG9015G

TECH SPECS:

- Sound: 7.1 surround (virtual)
- Frequency response: 20 Hz - 20 KHz
- Speaker size: 50 mm
- Speaker impedance: 21 Ω
- Microphone type: omnidirectional
- Microphone size: 6 x 5 mm
- Microphone sensitivity: -42 dB \pm 3 dB
- Backlight: Rainbow
- Connectors: USB 2.0
- Cable length: 2.2 m
- OS support: Windows 7 or newer



Quantity 20 /Carton

IN-EAR ERAPHONE



VOLUME CONTROL



SMARTPHONE READY



MULTI-PLATFORM COMPATIBLE



GP-002

TECH SPECS:

- Sound: stereo
- Frequency response: 100 Hz - 20 KHz
- Speaker size: 10 mm
- Speaker sensitivity: 107 dB \pm 3 dB
- Speaker impedance: 20 Ω
- Mic type: omnidirectional
- Mic size: 4 x 15 mm
- Mic in cable controller sensitivity: -42 dB \pm 3 dB
- Detachable Mic sensitivity: -40 dB \pm 3 dB
- Connectors: 1x 3.5 mm jack (4 pins)
- Cable length: 1.2 m
- Compatibility: Smartphone, Tablet, PC, Console controllers



Quantity 40 /Carton



STEREO GAMING HEADSET



BACKLIGHT



FLEXIBLE MIC BOOM-ARM



VOLUME CONTROL



HG8932

TECH SPECS:

- Sound: stereo
- Frequency response: 20 Hz - 20 KHz
- Speaker size: 50 mm
- Speaker sensitivity: 117 dB \pm 3 dB
- Speaker impedance: 21 Ω
- Microphone type: omnidirectional
- Microphone size: 6x5 mm
- Microphone sensitivity: -42 dB \pm 3 dB
- Backlight: red LED
- Connectors: 2x 3.5 mm jack, USB (for LED light)
- Cable length: 2 m
- OS support: Windows 7 or newer



Quantity 20 /Carton

STEREO GAMING HEADSET



BACKLIGHT



SELF-ADJUSTABLE HEADBAND



VOLUME CONTROL



HG8935

TECH SPECS:

- Sound: stereo
- Frequency response: 20 Hz - 20 KHz
- Speaker size: 50 mm
- Speaker impedance: 16 Ω
- Speaker sensitivity: 108 dB \pm 3 dB
- Microphone type: omnidirectional
- Microphone size: 6x5 mm
- Microphone sensitivity: -42 dB \pm 3 dB
- Backlight: rainbow
- Connectors: USB
- Cable length: 2.1 m



Quantity 10 /Carton



STEREO GAMING HEADSET



BACKLIGHT



SELF-ADJUSTABLE HEADBAND



VOLUME CONTROL



HG8936

TECH SPECS:

- Sound: stereo
- Frequency response: 20 Hz - 20 KHz
- Speaker size: 50 mm
- Speaker impedance: 21 Ω
- Speaker sensitivity: 108 dB \pm 3 dB
- Microphone type: omnidirectional
- Microphone size: 6x5 mm
- Microphone sensitivity: -38 dB \pm 3 dB
- Backlight: white
- Connectors: 2x 3.5 mm jack, USB (for LED light)
- Cable length: 2.1 m



Quantity 20 /Carton

7.1 SURROUND GAMING HEADSET



BACKLIGHT



FLEXIBLE MIC BOOM-ARM



VOLUME CONTROL



HG9062

TECH SPECS:

- Sound: 7.1 virtual surround
- Frequency response: 20 Hz - 20 KHz
- Speaker size: 50 mm
- Speaker sensitivity: 117 dB \pm 3 dB
- Microphone type: omnidirectional
- Microphone size: 6 x 5 mm
- Microphone sensitivity: -42 dB \pm 3 dB
- Backlight: rainbow
- Connectors: USB
- Cable length: 2.1 m
- OS support: Windows 7 or newer



Quantity 10 /Carton



7.1 SURROUND GAMING HEADSET



HG9068

TECH SPECS:

- Sound: 7.1 virtual surround
- Frequency response: 20 Hz - 20 KHz
- Speaker size: 50 mm
- Speaker sensitivity: 118 dB ± 3 dB
- Microphone type: omnidirectional
- Microphone size: 4 x 1.5 mm
- Microphone sensitivity: -38 dB ± 3 dB
- Backlight: RGB
- Connectors: USB
- Cable length: 2.2 m
- OS support: Windows 7 or newer



Quantity 20 /Carton

7.1 SURROUND GAMING HEADSET



HG9055

TECH SPECS:

- Sound: 7.1 surround (virtual)
- Frequency response: 20 Hz - 20 KHz
- Speaker size: 50 mm
- Speaker sensitivity: 109 dB ± 3 dB
- Microphone type: omnidirectional
- Microphone size: 6 x 5 mm
- Microphone sensitivity: -56 dB ± 2 dB
- Backlight: 7 colors
- Connectors: USB 2.0
- Cable length: 2.2 m
- OS support: Windows 7 or newer



Quantity 10 /Carton





107 KEYS BACKLIT MECHANICAL GAMING KEYBOARD

Full anti-ghosting
N-key rollover support

Rainbow backlight
Multiple lighting schemes activated through
107 LEDs deliver stunning visuals.

Mechanical switches



RAINBOW
BACKLIGHT



DRIVER
PROGRAMMABLE



MULTIMEDIA
FUNCTIONS



KG917

TECH SPECS:

- Keys: 107
- Switch type: mechanical (Outemu blue)
- Switch rating: 50 million presses
- Key route: 3.6 ± 0.3 mm
- Operating force: 55 ± 7 g
- Backlight: Rainbow
- Interface: USB 2.0
- Cable length: 1.6 m
- OS support: Windows 7 or newer



Quantity 20 /Carton



104 KEYS BACKLIT MECHANICAL GAMING KEYBOARD



RAINBOW BACKLIGHT



BLUE SWITCHES



50 MILLION SWITCH RATING

Anti-ghosting, 26-key rollover support

12 selectable lighting schemes

Mechanical switches



KG916

TECH SPECS:

- Keys: 104
- Switch type: mechanical (blue)
- Switch rating: ≥ 50 million presses
- Key route: 3.6 ± 0.2 mm
- Operating force: 55 ± 7 g
- Backlight: Rainbow
- Interface: USB 2.0
- Cable length: 1.6 m
- OS support: Windows 7 or newer



Quantity 20 /Carton



112 KEYS RAINBOW BACKLIT GAMING KEYBOARD



RAINBOW BACKLIGHT



ADVANCED ANTI-GHOSTING



MULTIMEDIA FUNCTIONS

Multimedia keys

Rainbow effect

Unique backlight visuals with 3 colors mixed to create a rainbow effect.

Wide palm rest



K656

TECH SPECS :

- Keys: 112
- Switch type: membrane
- Switch rating: 10 million presses
- Key route: 3.6 ± 0.3 mm
- Operating force: 52 ± 7 g
- Backlight: mixed colors (Rainbow)
- Interface: USB 2.0
- Cable length: 1.5 m
- Size: 483 x 212 x 35 mm
- OS support: Windows 7 or newer



Quantity 20 /Carton



MECHANICAL GAMING KEYBOARD



RAINBOW
BACKLIGHT



MULTIMEDIA
FUNCTIONS



50 MILLION
SWITCH RATING

Compact design with a
slim frame and TKL layout

Full anti-ghosting,
N-key rollover support

20+ selectable lighting
schemes



KG901

TECH SPECS:

- Keys: 87
- Switch type: mechanical (Blue)
- Switch rating: \geq 50 million presses
- Key route: 3.8 ± 0.4 mm
- Operating force: 60 ± 10 g
- Backlight: 6-color Rainbow
- Interface: USB 2.0
- Cable length: 1.5 m
- OS support: Windows 7 or newer



Quantity 20 /Carton



MECHANICAL GAMING KEYBOARD



RAINBOW
BACKLIGHT



MULTIMEDIA
FUNCTIONS



50 MILLION
SWITCH RATING

Full anti-ghosting
N-key rollover support

Rainbow backlight with
individual LED for each key

Raised key design for stylish
looks and easy maintenance



KG909

TECH SPECS:

- Keys: 104
- Switch type: mechanical (Outemu Blue)
- Switch rating: \geq 50 million presses
- Key route: 3.6 ± 0.3 mm
- Operating force: 55 ± 7 g
- Backlight: Rainbow
- Interface: USB 2.0
- Cable length: 1.6 m
- OS support: Windows 7 or newer



Quantity 20 /Carton



BACKLIT GAMING KEYBOARD



BACKLIT
KEYBOARD



MULTIMEDIA
FUNCTIONS



RGB
BACKLIGHT

Lower edge with an increased area for better palm support helps reduce the stress on wrists and arms.

RGB BACKLIGHT

6 lighting schemes activated through LEDs deliver stunning visuals

Pendant knob can adjust a variety of light effect mode, the brightness of the switch, can adjust the volume level



K660

TECH SPECS:

- Keys: 104
- Switch type: membrane
- Switch rating: 10 million presses
- Key route: 3.6 ± 0.3 mm
- Operating force: 50 ± 10 g
- Backlight: RGB
- Interface: USB 2.0
- Cable length: 1.7 m
- Size: 451 x 184 x 34 mm
- Weight: 750g
- OS support: Windows 7 or newer



Quantity 20 /Carton



BACKLIT GAMING KEYBOARD



RAINBOW
BACKLIGHT



ADVANCED
ANTI-GHOSTING



MULTIMEDIA
FUNCTIONS

MULTIMEDIA KEYS

Quickly access and control the volume of your media player, check email and more

SEAMLESS GAMING

Advanced anti-ghosting with 25-key rollover support delivers enhanced command readings in the heat of the battle

3 COLORS BACKLIGHT

Unique backlight visuals with 3 colors mixed to create a rainbow effect



K635

TECH SPECS:

- Keys: 104
- Switch type: membrane
- Switch rating: 10 million presses
- Key route: 3.6 ± 0.3 mm
- Operating force: 50 ± 10 g
- Backlight: 3 colors
- Interface: USB 2.0
- Cable length: 1.7 m
- Size: 451 x 184 x 34 mm
- Weight: 720g
- OS support: Windows 7 or newer



Quantity 20 /Carton



WIRED GAMING KEYBOARD



RGB
BACKLIGHT



DRIVER
PROGRAMMABLE



MULTIMEDIA
FUNCTIONS

Multi-functional FN key combination + 8 groups of macro keys, can quickly achieve multimedia functions and switch the backlight function

Support key customization and macro definition, can be adjusted through the driver

RGB 16 million color dazzling light, a variety of light effect mode + game level kernel chip, 25 keys with the same click without conflict



K655

TECH SPECS :

- Keys: 115
- Switch type: membrane
- Switch rating: \cong 10 million presses
- Key route: 4.2 ± 0.4 mm
- Operating force: 55 3 10 g
- Backlight: RGB
- Interface: USB 2.0
- Cable length: 1.5 m
- Size: 453 x 163 x 38mm
- Weight: 765g
- OS support: Windows 7 or newer



Quantity 20 /Carton



TKL MECHANICAL GAMING KEYBOARD



RAINBOW BACKLIGHT



BLUE SWITCHES



MULTIMEDIA FUNCTIONS

SEAMLESS GAMING

Advanced anti-ghosting with full-key roll-over support delivers enhanced command readings in the heat of the battle

RAINBOW EFFECT

Unique backlight visuals with 6-color mixed to create a rainbow effect

MECHANICAL SWITCHES



KG953

TECH SPECS:

- Keys: 87
- Switch type: mechanical
- Switch rating: ≥ 50 million presses
- Key route: 3.8 ± 0.3 mm
- Operating force: 60 ± 10 g
- Backlight: Rainbow (6-color mixed)
- Interface: TYPE-C
- Cable length: 1.6 m
- Size: 362 x 148 x 38 mm
- Weight: 870g
- OS support: Windows 7 or newer



Quantity 20 /Carton



60% MECHANICAL GAMING KEYBOARD



RAINBOW BACKLIGHT



WATERPROOF DESIGN



50 MILLION SWITCH RATING



SEAMLESS GAMING

Advanced anti-ghosting with full-key rollover support delivers enhanced command readings in the heat of the battle

RAINBOW EFFECT

Unique backlight visuals with single colors mixed to create a rainbow effect

MECHANICAL SWITCHES



KG962

TECH SPECS:

- Keys: 61
- Switch type: mechanical
- Switch rating: ≥ 50 million presses
- Key route: 3.8 ± 0.3 mm
- Operating force: 60 ± 10 g
- Backlight: Rainbow
- Interface: USB 2.0
- Cable length: 1.6 m
- Size: 305 x 120 x 38 mm
- OS support: Windows 7 or newer



Quantity 20 /Carton



MECHANICAL GAMING KEYBOARD



RAINBOW BACKLIGHT



ADVANCED ANTI-GHOSTING



MULTIMEDIA FUNCTIONS

SEAMLESS GAMING

Full anti-ghosting with N-key rollover support guarantees the best command readings no matter the number of keys pressed

RAINBOW BACKLIGHT

Multiple lighting schemes activated through LEDs deliver stunning visuals

MECHANICAL SWITCHES



KG954

TECH SPECS:

- Keys: 107
- Switch type: mechanical
- Switch rating: ≥ 50 million presses
- Key route: 3.8 ± 0.3 mm
- Operating force: 60 ± 10 g
- Backlight: Rainbow
- Interface: USB 2.0
- Cable length: 1.6 m
- OS support: Windows 7 or newer



Quantity 20 /Carton



TRI-MODAL TKL GAMING KEYBOARD



RAINBOW
BACKLIGHT



MULTIMEDIA
FUNCTIONS



50 MILLION
SWITCH RATING

Tri-mode wireless mechanical keyboard, can simultaneously support 2.4G, wired, wireless three modes

5-color mixed color dazzling light, a variety of light effect mode + game level kernel chip + all keys together without conflict

Multi-function FN key combination, can quickly achieve multimedia functions and switch the backlight function



KG953W

TECH SPECS :

- Keys: 87
- Wireless specifications: 2.4G/V5.0
- Operating distance: 10 m
- Switch type: mechanical
- Switch rating: ≥ 50 million presses
- Key route: 4.0 ± 0.5 mm
- Operating force: 60 ± 10 g
- Backlight: Rainbow
- Battery specifications: 3.7V-1200mA
- Interface: USB 2.0
- Cable length: 1.6 m
- Weight: 985g
- OS support: Mac/Windows/Android/iOS



Quantity 20 /Carton



WIRED & WIRELESS TRI-MODAL GAMING KEYBOARD



RAINBOW
BACKLIGHT



ADVANCED
ANTI-GHOSTING



50 MILLION
SWITCH RATING

TRI-MODAL GAMING KEYBOARD

Tri-mode wireless mechanical keyboard, can simultaneously support 2.4G, wired, wireless three modes

Multi-function FN key combination, can quickly achieve multimedia functions and switch the backlight function

RAINBOW BACKLIGHT

5-color mixed color dazzling light, a variety of light effect mode + game level kernel chip + all keys together without conflict



KG962W

TECH SPECS :

- Keys: 63
- Wireless specifications: 2.4G/V5.0
- Operating distance: 10 m
- Switch type: mechanical
- Switch rating: ≥ 50 million presses
- Key route: 4.0 ± 0.5 mm
- Operating force: 60 ± 10 g
- Backlight: Rainbow
- Interface: USB 2.0
- Cable length: 1.6 m
- Size: 305 x 125 x 38mm
- Weight: 610g
- OS support: Mac/Windows/Android/iOS



Quantity 20 /Carton



107 KEYS BACKLIT MECHANICAL GAMING KEYBOARD



RGB
BACKLIGHT



DRIVER
PROGRAMMABLE



MULTIMEDIA
FUNCTIONS

TRI-MODAL GAMING KEYBOARD

Tri-mode wireless mechanical keyboard, can simultaneously support 2.4G, wired, wireless three modes

RGB BACKLIGHT

RGB dazzling lights, a variety of light modes + gaming-grade kernel chip + all keys together without conflict

Comes with common multimedia keys and volume scroll wheel



KW850

TECH SPECS:

- Keys: 82
- Wireless specifications: 2.4G/V5.0
- Operating distance: 10 m
- Switch type: mechanical
- Switch rating: \cong 50 million presses
- Key route: 4.0 ± 0.5 mm
- Operating force: 50 ± 10 g
- Backlight: RGB
- Interface: USB 2.0
- Cable length: 1.6 m
- Battery specifications: 3.7V-2800mAH
- Size: 322 x 163 x 33mm
- Weight: 910g
- OS support: Windows 7 or newer



Quantity 20 /Carton



112 KEYS RAINBOW BACKLIT GAMING KEYBOARD



K602 TECH SPECS:

- Keys: 112
- Switch type: membrane
- Switch rating: 10 million presses
- Key route: 4.0 ± 0.3 mm
- Operating force: 55 ± 10 g
- Backlight: Rainbow
- Interface: USB 2.0
- Cable length: 1.5 m
- OS support: Windows 7 or newer



Quantity 20 / Carton

104 KEYS RAINBOW BACKLIT GAMING KEYBOARD



K629G TECH SPECS:

- Keys: 104
- Switch type: membrane
- Switch rating: 3 million presses
- Key route: 3.0 ± 0.3 mm
- Operating force: 60 ± 10 g
- Backlight: mixed colors (Rainbow)
- Interface: USB 2.0
- Cable length: 1.5 m
- Size: $453 \times 151 \times 20$ mm
- OS support: Windows 7 or newer



Quantity 20 / Carton

2-IN-1 COMBO



KM409 TECH SPECS:

- Keyboard
- Keys: 104
 - Switch type: membrane
 - Switch rating: 10 million presses
 - Key route: 4 ± 0.3 mm
 - Operating force: 55 ± 5 g
 - Backlight: 3 mixed colors
 - USB 2.0 cable length: 1.5 m

- Mouse
- Sensor: Optical
 - DPI: 800-1200-1600-2400
 - Buttons: 6
 - Switch rating: 3 million clicks
 - Backlight: 7 colors
 - USB 2.0 cable length: 1.5 m
 - OS support: Windows 7 or newer



Quantity 20 / Carton

MEMBRANE GAMING KEYBOARD



K606 TECH SPECS:

- Keys: 104
- Switch type: membrane
- Switch rating: 10 million presses
- Key route: 3.6 ± 0.3 mm
- Operating force: 55 ± 10 g
- Backlight: mixed colors (Rainbow)
- Interface: USB 2.0
- Cable length: 1.5 m
- Size: $447 \times 167 \times 40$ mm
- OS support: Windows 7 or newer



Quantity 20 / Carton



3-IN-1 GAMING STARTER KIT



BACKLIGHT



RAINBOW BACKLIT
KEYBOARD



MULTIMEDIA
FUNCTIONS



DRIVER
PROGRAMMABLE

Multimedia
keys

Optimized tracking
accuracy for both laser
and optical sensors.

1200-2400-3200-
4800 (default)

CM306

TECH SPECS:

Keyboard Specs:

- Keys: 107
- Switch type: membrane
- Switch rating: 10 million presses
- Key route: 4.0 ± 0.3 mm
- Operating force: 55 ± 10 g
- Backlight: mixed colors (Rainbow)
- Interface: USB 2.0
- Cable length: 1.5 m
- OS support: Windows 7 or newer

Mouse Specs:

- Sensor: Optical
- DPI: 1200-2400-3200-4800 (default)
- Buttons: 7 (programmable)
- Switch rating: 5 million clicks
- Backlight: rainbow
- Polling rate: up to 1000 Hz
- Interface: USB 2.0
- Cable length: 1.5 m
- Size: 127 x 70 x 40 mm

Mousepad Specs:

- Ideally suited for high sensitivity mouse settings
- The anti-sweating design prevents edge warping
- Anti-skid rubber base
- Size: 287 x 244 x 3 mm

- SYSTEM REQUIREMENTS: PC with 2 available USB ports
- OS SUPPORT: Windows 7 or newer



Quantity 6 /Carton



4-IN-1 ADVANCED GAMING COMBO



BACKLIGHT
MOUSE



RAINBOW BACKLIT
KEYBOARD



ADVANCED
ANTI-GHOSTING



DRIVER
PROGRAMMABLE

CM420

TECH SPECS:

- Mechanical keyboard
- Keys: 104
 - Switch type: mechanical (Blue)
 - Key route: 3.8 ± 0.3 mm
 - Operating force: 60 ± 10 g
 - Backlight: mixed colors (Rainbow)
 - Interface: USB 2.0
 - Cable length: 1.5 m

- Mouse Specs:
- Sensor: Optical
 - DPI: 800-1600-2400-3200-4800-6400
 - Buttons: 7
 - Switch rating: 3 million clicks
 - Backlight: RGB
 - Interface: USB 2.0
 - Cable length: 1.5 m

- Mousepad Specs:
- Cloth surface with optimized tracking accuracy for both laser and optical sensors
 - Enhanced control and comfort
 - Stitched edges
 - Size: 750 x 280 x 3 mm

- Wrist pad Specs:
- Size: 460 x 85 x 22 mm

Full anti
ghosting

Size: 750 x 280 x 3 mm

Rainbow backlit keyboard

RGB backlit mouse



Quantity 6 /Carton



3-IN-1 ADVANCED GAMING COMBO



BACKLIGHT



WHITE BACKLIT
KEYBOARD



ADVANCED
ANTI-GHOSTING



NO DRIVER
NEEDED

CM308

TECH SPECS:

Keyboard Specs:

- Keys: 104
- Switch type: membrane
- Switch rating: 10 million presses
- Key route: 3.6 ± 0.3 mm
- Operating force: 50 ± 15 g
- Backlight: white
- Interface: USB 2.0
- Cable length: 1.7 m

Mouse Specs:

- Sensor: Optical
- DPI: 1000-1600-3200-6400
- Buttons: 6
- Switch rating: 3 million clicks
- Backlight: white
- Interface: USB 2.0
- Cable length: 1.5 m

Headset Specs:

- Sound: stereo
- Frequency response: 20 Hz - 20 KHz
- Speaker size: 50 mm
- Speaker sensitivity: $117 \text{ dB} \pm 3 \text{ dB}$
- Speaker impedance: 21Ω
- Microphone type: omnidirectional
- Microphone size: 6x5 mm
- Microphone sensitivity: $-42 \text{ dB} \pm 3 \text{ dB}$
- Backlight: white
- Connectors: 2 x 3.5 mm jack, USB (for LED light)
- Cable length: 2 m

Stereo gaming headset with mic

Membrane gaming keyboard

6400 DPI optical sensor



Quantity 6 /Carton



4-IN-1 GAMING STARTER KIT



RAINBOW BACKLIT
KEYBOARD



7
COLORS
BACKLIT MOUSE



ADVANCED
ANTI-GHOSTING

CM409

TECH SPECS:

Keyboard Specs:

- Keys: 104
- Switch type: membrane
- Switch rating: 10 million presses
- Key route: 4.0 ± 0.3 mm
- Operating force: 55 ± 7 g
- Backlight: mixed colors (Rainbow)
- Interface: USB 2.0
- Cable length: 1.5 m
- Size: 435 x 128 x 35 mm

Headset Specs:

- Sound: stereo
- Frequency response: 20 Hz - 20 KHz
- Speaker size: 40 mm
- Speaker sensitivity: $105 \text{ dB} \pm 3 \text{ dB}$
- Speaker impedance: 32 Ω
- Microphone type: omnidirectional
- Microphone size: 6x5 mm
- Microphone sensitivity: $-42 \text{ dB} \pm 3 \text{ dB}$
- Connectors: 3.5 mm jack x 2
- Cable length: 2 m

Mouse Specs:

- Sensor: Optical
- DPI: 800-1600-2400-3200
- Buttons: 6
- Switch rating: 3 million clicks
- Backlight: 7 colors
- Interface: USB 2.0
- Cable length: 1.5 m

Mousepad Specs:

- Size: 287 x 244 x 3 mm

Cloth surface
mousepad

Stereo gaming
headset with mic

3200 DPI optical sensor

Backlit gaming keyboard



Quantity 6 /Carton



4-IN-1 ADVANCED GAMING COMBO



YELLOW BACKLIT
KEYBOARD



YELLOW
BACKLIGHT



ADVANCED
ANTI-GHOSTING

CM412

TECH SPECS:

Keyboard Specs:

- Keys: 104
- Switch type: membrane
- Switch rating: 10 million presses
- Key route: 4.0 ± 0.3 mm
- Operating force: 50 ± 7 g
- Backlight: yellow
- Interface: USB 2.0
- Cable length: 1.5 m

Mouse Specs:

- Sensor: Optical
- DPI: 800-1200-2400-3200-4800-7200 (default)
- Buttons: 6
- Switch rating: 3 million clicks
- Backlight: yellow
- Interface: USB 2.0
- Cable length: 1.5 m

Headset Specs:

- Sound: stereo
- Frequency response: 20 Hz - 20 KHz
- Speaker size: 50 mm
- Speaker sensitivity: $108 \text{ dB} \pm 3 \text{ dB}$
- Speaker impedance: 21Ω
- Mic type: omnidirectional
- Mic size: 6 x 5 mm
- Connectors: 2x 3.5 mm jack, USB (for LED light)
- Cable length: 2 m

- Mousepad Specs:
 - Cloth surface with optimized tracking accuracy for both laser and optical sensors
 - Enhanced control and comfort
 - Size: 280 x 240 x 3 mm



Quantity 6 /Carton



4-IN-1 ADVANCED GAMING COMBO



BACKLIGHT



WHITE BACKLIT
KEYBOARD



ADVANCED
ANTI-GHOSTING

CM418

TECH SPECS:

- Keyboard Specs:
- Keys: 104
 - Switch type: membrane
 - Switch rating: 10 million presses
 - Key route: 3.6 ± 0.3 mm
 - Operating force: 50 ± 15 g
 - Backlight: white
 - Interface: USB 2.0
 - Cable length: 1.7 m
- Headset Specs:
- Sound: stereo
 - Frequency response: 20Hz-20 KHz
 - Speaker size: 50mm
 - Speaker sensitivity: $116\text{dB} \pm 3\text{dB}$
 - Speaker impedance: 32 Ω
 - Microphone type: omnidirectional
 - Microphone size: 4*1.5mm
 - Microphone sensitivity: $-38\text{dB} \pm 3\text{dB}$
 - Backlight: white
 - Connectors: 2*3.5mm jack, USB (for LED light)
 - Cable length: 2m
- Mouse Specs:
- Sensor: Optical
 - DPI: 1000-1600-3200-6400
 - Buttons: 6
 - Switch rating: 3 million clicks
 - Backlight: white
 - Interface: USB 2.0
 - Cable length: 1.6 m
- Mousepad Specs:
- Size: 300 x 250 x 3 mm

Cloth surface
mousepad

Stereo gaming
headset with mic

6400 DPI optical sensor

Backlit gaming keyboard



Quantity 6 /Carton



4-IN-1 GAMING STARTER KIT



RAINBOW BACKLIT
KEYBOARD



7
COLORS
BACKLIT MOUSE



ADVANCED
ANTI-GHOSTING

CM370PK

TECH SPECS:

Keyboard Specs:

- Keys: 104
- Switch type: membrane
- Switch rating: 10 million presses
- Key route: 4.0 ± 0.3 mm
- Operating force: 55 ± 7 g
- Backlight: mixed colors (Rainbow)
- Interface: USB 2.0
- Cable length: 1.5 m
- Size: 435 x 128 x 35 mm

Mouse Specs:

- Sensor: Optical
- DPI: 800-1600-2400-3200
- Buttons: 4
- Switch rating: 1 million clicks
- Backlight: 7 colors
- Interface: USB 2.0
- Cable length: 1.5 m

Mousepad Specs:

- Size: 287 x 244 x 3 mm

Headset Specs:

- Sound: stereo
- Frequency response: 20 Hz - 20 KHz
- Speaker size: 40 mm
- Speaker sensitivity: 92 dB
- Speaker impedance: 32 Ω
- Microphone type: omnidirectional
- Microphone size: 6x5 mm
- Microphone sensitivity: $-54 \text{ dB} \pm 2 \text{ dB}$
- Connectors: 1x 4-pin 3.5 mm jack, 1x 3-pin 3.5 mm jack
- Cable length: 2 m

Backlit
gaming keyboard

Stereo gaming
headset with mic

3200 DPI optical sensor

Cloth surface
mousepad



Quantity 6 /Carton



3-IN-1 BACKLIT GAMING COMBO



RGB BACKLIT
KEYBOARD



ADVANCED
ANTI-GHOSTING



MULTIMEDIA
FUNCTIONS

KW516

TECH SPECS:

Keyboard Specs:

- Keys: 87
- Wireless specifications: 2.4G
- Operating distance: 10 m
- Switch type: membrane
- Switch rating: 10 million presses
- Key route: 3.6 ± 0.4 mm
- Operating force: 50 ± 10 g
- Backlight: RGB
- Interface: USB 2.0
- Cable length: 1.6 m
- Size: 372 x 151 x 37mm
- OS support: Windows 7 or newer

Mouse Specs:

- Sensor: Optical
- Wireless specifications: 2.4G
- Operating distance: 10 m
- DPI: 800-1200-1600-2400-3200-4800
- Buttons: 7
- Polling rate: 500Hz
- Switch rating: 10 million clicks
- Backlight: RGB
- Interface: USB 2.0
- OS support: Windows XP or newer

Multi-function FN key combination,
can quickly achieve multimedia functions
and switch the backlight function

RGB lighting, streamlined
light-emitting strip + LOGO
lighting, unique lighting effects



Quantity 20 /Carton



EXTRA LARGE MOUSE PAD (920 X 294 X 3MM)



ALL-SENSOR
COMPATIBLE



XTRA LARGE
SIZE



WATERPROOF
SURFACE

G37

TECH SPECS :

- Ideally suited for low sensitivity mouse settings
- Optimized tracking accuracy for all sensors
- Enhanced control and comfort
- Extended durability
- Size: 920 X 294 x 3 mm

High-density & sweat resistant
cloth material

High-quality anti-fray stitched edges



Quantity 20 /Carton





EXTRA LARGE MOUSE PAD (920 X 294 X 3MM)



ALL-SENSOR
COMPATIBLE



XTRA LARGE
SIZE



WATERPROOF
SURFACE

G36

TECH SPECS :

- Ideally suited for low sensitivity mouse settings
- Optimized tracking accuracy for all sensors
- Enhanced control and comfort
- Extended durability
- Size: 920 X 294 x 3 mm

High-density & sweat resistant
cloth material

High-quality anti-fray stitched edges



Quantity 20 /Carton





EXTRA LARGE MOUSE PAD (920 X 294 X 3MM)



ALL-SENSOR
COMPATIBLE



XTRA LARGE
SIZE



WATERPROOF
SURFACE

G35

TECH SPECS :

- Ideally suited for low sensitivity mouse settings
- Optimized tracking accuracy for all sensors
- Enhanced control and comfort
- Extended durability
- Size: 920 X 294 x 3 mm

High-density & sweat resistant
cloth material

High-quality anti-fray stitched edges



Quantity 20 /Carton





EXTRA LARGE GAMING MOUSE PAD (800 X 305 X 4MM)



MG010

TECH SPECS:

- Soft microfiber surface optimized for both speed and control
- 7-color lighting with three RGB effects
- Touch control for on-the-fly backlight selection
- Steady, rubber base
- USB powered, Plug & Play (2 m braided cable)



Quantity 20 /Carton

MEDIUM SIZE GAMING MOUSE PAD (350 X 250 X 4MM)



MG08

TECH SPECS:

- Soft microfiber surface optimized for both speed and control
- 7-color lighting with three RGB effects
- Touch control for on-the-fly backlight selection
- Steady rubber base
- USB powered, Plug & Play (2 m braided cable)



Quantity 20 /Carton

SMALL SIZE GAMING MOUSE PAD (350 X 250 X 4MM)



G38

TECH SPECS:

- Ideally suited for high sensitivity mouse settings
- Optimized tracking accuracy for all sensors
- Enhanced comfort and durability
- Size: 350 x 250 x 4MM



Quantity 20 /Carton

MEDIUM SIZE MOUSE PAD (352 X 252 X 3 MM)



G15

TECH SPECS:

- Optimized tracking accuracy for both laser and optical sensors
- Enhanced control and comfort
- Extended durability
- Size: 352 x 252 x 3 mm



Quantity 20 /Carton



2.0 STEREO LED GAMING SPEAKER



BACKLIGHT



VOLUME CONTROL



SMALL SIZE

Easy accessible volume knob

7-color lighting with rainbow effects

SG-265

TECH SPECS:

- Rated power: 2 x 3W
- Frequency response: 150 Hz - 20 KHz
- Impedance: 4 Ω x 2
- Drive unit: 2.5 inch x 2
- Connectors: 3.5 mm jack (audio), USB (power)
- Power supply: USB
- Cable length: 1.2 m



Quantity 10 /Carton



2.1 MULTIMEDIA SPEAKER SYSTEM



BACKLIGHT



STEREO SOUND



VOLUME CONTROL



SG-290

TECH SPECS :

- Rated power: 15W+8W*2
- Frequency response: 500 Hz - 20 KHz
- Sensitivity: 85 dB \pm 3 dB
- Woofer size: 205 x 238 x 225 mm
- Satellite size: 88 x 102 x 180 mm
- Backlight: RGB
- Connectors: 3.5 mm jack (audio)
- Power supply: AC 110-230V
- Cable length: 1.3 m



Quantity 4 /Carton

2.0 STEREO RGB GAMING SPEAKER



BACKLIGHT



STEREO SOUND



VOLUME CONTROL



SG-118

TECH SPECS :

- Rated power: 2 x 3W
- Frequency response: 150 Hz - 20 KHz
- Impedance: 4 Ω x 2
- Drive unit: 2 inch x 2
- Connectors: 3.5 mm jack (audio), USB (power)
- Power supply: USB
- Cable length: 1.2 m



Quantity 20 /Carton



MULTI-PLATFORM WIRELESS GAME PAD



WIRELESS CONNECTION



VIBRATION EFFECTS



ACTION BUTTONS

Direction Buttons



Touchpad Control

Two analog mini-sticks

GT-64

TECH SPECS:

- Connection: wireless or wired (USB cable)
- Wireless versions: BM-947+BM-736, V4.2
- Buttons: 15
- Battery capacity: 600 mAh
- Speaker: 6/8Ω-1W
- Interface: EXT support, 3.5 mm jack
- Compatibility: PS4 and *PC (D-INPUT/X-INPUT/PS3)
- Sensor: 3D-Sensor, G-Sensor
- Micro USB cable: 80 cm



Quantity 20 /Carton



MULTI-PLATFORM USB GAMEPAD



MULTI PLATFORM COMPATIBLE

VIBRATION EFFECTS

ACTION BUTTONS



Unique arrow keys



Configuration of cell phone fixed bracket, ergonomic design, and the palm of the hand fit high, the game operation put away freely

VIBRATION FEEDBACK

GT-69

TECH SPECS:

- Number of buttons: 17
- Analog sticks: 2
- Interface: USB 2.0/micro USB
- Cable length: 80cm
- Joystick/keys life: 1 million times
- Built-in battery: 400mAh
- Wireless specification: 4.2
- Operating distance: 10m
- Compatibility: PS3/D-INPUT/X-INPUT/ Android /SWITCH



Quantity 20 /Carton



MULTI-PLATFORM WIRELESS GAME PAD



GT-60

TECH SPECS:

- Wireless versions: 2.1 + EDR
- Connection: wireless or wired (USB cable)
- Battery capacity: 350 mAh
- Charging time: 1.5 h
- Usage time: 6 - 10 h (continuous)
- Compatibility: Android and PC
- Smartphone clip size: 4 - 8.5 cm



Quantity 20 /Carton

MULTI-PLATFORM USB GAME PAD



GT-016

TECH SPECS:

- Number of buttons: 12
- Analog sticks: 2
- Vibration feedback
- Interface: USB 2.0, micro USB
- Cable length: 2.0 m (break-away 1.5 + 0.5 OTG)
- Compatibility: PC, PS3 and Android
- OS support: Windows 7 or newer



Quantity 20 /Carton

MULTI-PLATFORM USB GAME PAD



GT-014

TECH SPECS:

- Number of buttons: 17
- Analog sticks: 2
- Vibration feedback
- Interface: USB 2.0 PnP
- Cable length: 1.8 m
- Compatibility: PS3, PC, PC360, Android
- OS support: Windows 7 or newer, Android 4.2+



Quantity 20 /Carton

USB GAME PAD



GT-006

TECH SPECS:

- Vibration effects
- 2 analogue mini sticks
- Cross-shaped D-pad
- Ergonomic design, soft and sweat-resistant surface coating
- USB 2.0 Plug&Play (1.56m cable length)
- Compatible with Windows 7 or newer



Quantity 20 /Carton



120 MM CASE FAN



BACKLIGHT



LOW NOISE



120MM
DESIGN



Rubber anti-vibration pads

RGB illumination

4-PIN PSU connector for perfect compatibility

FN-14

TECH SPECS :

- Size: 120 x 120 x 25 mm
- Speed: 1100 ± 200 rpm
- Airflow: 30.82 CFM
- Sound level: 26.8 dB
- Voltage: 12V
- MTBF: 30000 Hrs
- Connector: 4-PIN PSU



Quantity 20 /Carton



17" LAPTOP COOLING STAND



BACKLIGHT



4-FAN DESIGN



100% PURE PERFORMANCE



FN-38 RD

TECH SPECS:

- Compatible notebook: up to 17"
- Dimensions: 400 x 275 x 30 mm
- Fan size (4 pieces): 140 x 140mm
- Fan speed: 1000 ± 10%RPM
- Voltage: 5V DC
- Power: 1.75W
- Weight: 910 grams



Quantity 20 /Carton

120MM CASE FAN



BACKLIGHT



LOW NOISE



120MM DESIGN



FN-10

TECH SPECS:

- Size: 120 x 120 x 25 mm
- Bearing type: hydraulic
- Speed: 1200 ± 10% rpm
- Airflow: 53.2 CFM
- Pressure: 1.073 mm/H2O
- Sound level: 16 dBA
- Voltage: 12V
- MTBF: 20000 Hrs
- Connector: 3-PIN and 4-PIN



Quantity 50 /Carton



17" LAPTOP COOLING STAND




RGB
BACKLIGHT



100% PURE
PERFORMANCE



180MM
DESIGN



Cool RGB LED backlight

Optimized vent mesh

Adjustable stand angle



FN-40

TECH SPECS:

- Compatible notebook: up to 17"
- Dimensions: 405 x 300 x 26mm
- Fan size: 180 x 180 x 15mm
- Air flow: 63CFM
- Fan speed: 570-800 RPM
- Cable length: 60cm
- Power: 4W
- Rated voltage: 5V DC



Quantity 20 /Carton



15.6" LAPTOP COOLING STAND



BACKLIGHT



6-FAN DESIGN



100% PURE PERFORMANCE



With Hi.B interface, switch control fan and red backlight



Comes with a phone stand, powerful cooling delivered by 6 fans

FN-41

TECH SPECS:

- Compatible notebook: up to 15.6"
- Material: ABS plastic and iron mesh
- Fan size: 100 x 100 x 20mm (4pcs)
- Fan size: 70 x 70 x 20mm (2pcs)
- Noise: 20dBA
- Air volume: 63CFM
- Large fan speed: 1200RPM
- USB port: 2-port USB
- Power: 25W
- Voltage: DC 5V



Quantity 20 /Carton



19" LAPTOP COOLING STAND



BACKLIGHT



3-FAN DESIGN




100% PURE PERFORMANCE



3 FANS DESIGN

2 USB HUB

Cool RGB lighting effects



FN-42

TECH SPECS:

- Compatible notebook: 10-19"
- Material: ABS plastic and Aluminum alloy
- Product size: 420 x 270 x 30mm
- Fan size(3PCS): 80 x 80 x 10mm
- Operable angle: 5°-20°
- Noise: 20-26dBA
- Fan life: 30000H
- Backlight: RGB
- Air Flow: 63-76CFM
- Fan speed: 2000RPM
- USB port: 2-port USB
- Power: 3W
- Cable length: 550cm
- Weight: 700g



Quantity 20 /Carton



USB POWERED MICROPHONE



100% PURE
PERFORMANCE



FLEXIBLE
MIC BOOM-ARM



NO-DRIVER
NEEDED



MIC-01 TECH SPECS:

- Microphone type: omnidirectional
- Microphone size: 6 x 5 mm
- Microphone sensitivity: -34 dB \pm 3 dB
- Backlight: Rainbow
- Connectors: USB
- Cable length: 1.5 m
- OS support: Windows 7 or newer



Picks up signals from
all directions
for a well rounded coverage

Cool rainbow lighting



Quantity 30 /Carton



USB POWERED MICROPHONE



100% PURE
PERFORMANCE



ERGO
DESIGN



NO-DRIVER
NEEDED



MIC-03 TECH SPECS:

- IC: CM6327A
- Frequency response: 20 Hz - 20 KHz
- Impedance: $\leq 2200 \Omega$
- Microphone type: omnidirectional
- Microphone size: 9x5 mm
- Microphone sensitivity: $-47 \text{ dB} \pm 3 \text{ dB}$
- Connectors: USB
- Cable length: 1.5 m
- Size: 150 x 38 x 45 mm



Professional 3D
stereo live sound

Adjustable stand angle

Foldable metal
tripod for desktop



Quantity 30 /Carton



3.5MM JACK MICROPHONE



100% PURE
PERFORMANCE



FLEXIBLE
MIC BOOM-ARM



NO-DRIVER
NEEDED



Picks up signals from all directions
for a well rounded coverage

70° adjustable angle
Double spring design, strong and durable

MIC-04

TECH SPECS:

- Frequency response: 20 Hz - 20 KHz
- Impedance: $\leq 2200 \Omega$
- Microphone type: omnidirectional
- Microphone size: 6 x 5 mm
- Microphone sensitivity: -34 dB \pm 3 dB
- Connectors: 3.5mm jack
- Cable length: 1.5 m
- OS support: Windows 7 or newer



Quantity 30 /Carton



USB POWERED MICROPHONE



100% PURE
PERFORMANCE



FLEXIBLE
MIC BOOM-ARM



NO-DRIVER
NEEDED



MIC-05 TECH SPECS:

- Microphone type: omnidirectional
- Microphone size: 6 x 5 mm
- Microphone sensitivity: -36 dB @ 3 dB
- Frequency response: 30 Hz - 16 KHz
- Backlight: Rainbow
- Connectors: USB
- Weight: 280g
- Cable length: 1.5 m
- OS support: Windows 7 or newer



EQ button for quick access
to voice-magic function,
including Boy, Girl, Older,
Baby voice modes.

Picks up signals from all directions
for a well rounded coverage

Dual function Mute-RGB
button for on-the-fly mic
and backlight control



Quantity 30 /Carton



WEB CAMERA



100% PURE
PERFORMANCE



ERGO
DESIGN



NO-DRIVER
NEEDED



MPC01 TECH SPECS:

- Microphone: built-in
- Sensor: 1/4" CMOS
- HD Camera: 5MP
- Transmission rate: 1280x720, 1920x1080
- File format: MJPG / YUY2, BMP/JPEG/PNG, AVI/WMV
- Imaging range: 70cm-90cm
- Focusing : fixed focus
- Interface: USB
- Cable length: 1.5m



5.0-megapixel high-resolution
webcam

360° rotatable for a more flexible
and exciting experience

Built-in microphone for easy
and clear video calls



Quantity 30 /Carton



15.6" LARGE GAMING BACKPACK



100% PURE PERFORMANCE



180MM DESIGN

Compatible with 15.6" notebooks



Waterproof & durable fabric



One external USB port to charge your phone on-the-go



Comfortable and breathable backside

Color display



BA-03

TECH SPECS :

- USB Cable length: 50 cm
- Maximum load: 20 kg
- N.W.: 0.7 kg
- Dimensions: 40 x 30 x 12 cm
- *requires external USB Powerbank(not included)



ADVANCED GAMING CHAIR



GAMING DESIGN



ADJUSTABLE
ERGONOMICS



HEAVY
DUTY DESIGN



Butterfly adjusting mechanism
and 360° swivel

Full synthetic leather

180° tilting backrest for
a flat position

Stable and sturdy steel
Base with pu caster wheels

CH-129

TECH SPECS :

- 1100 mm gas lift system
- Materials: PU, PP, ABS
- Backrest width: 60 cm
- Armrest adjustable height: 59 - 69 cm
- Seat width: 56 cm
- Backrest height: 85 cm
- Seat depth: 50 cm
- Seat adjustable height: 44 - 54 cm
- Chair height: 125 - 135 cm
- Maximum load: 150 kg
- N.W.: 19 kg



Quantity 1 / Carton



ADVANCED GAMING CHAIR



GAMING DESIGN



ERGO DESIGN



ADJUSTABLE ERGONOMICS



CH-106

TECH SPECS:

- 100 mm gas lift system
- 350 mm nylon base arms
- Materials: PU, PVC
- Backrest width: 57 cm
- Armrest adjustable height: 59 - 69 cm
- Seat width: 53 cm
- Backrest height: 85 cm
- Seat depth: 50 cm
- Seat adjustable height: 44 - 54 cm
- Chair height: 125 - 135 cm
- Maximum load: 150 kg
- N.W.: 16.5 kg



Detachable head and lower back pillows

Camber PVC armrest

Stable and sturdy nylon base, PU caster wheels



Quantity 1 / Carton



ADVANCED GAMING CHAIR



GAMING DESIGN



ERGO DESIGN



ADJUSTABLE ERGONOMICS



Detachable head and lower back pillows

Camber PVC armrest

Stable and sturdy nylon base, PU caster wheels

CH-116

TECH SPECS:

- 100 mm gas lift system
- 350 mm nylon base arms
- Backrest width: 53 cm
- Seat width: 53 cm
- Backrest height: 84 cm
- Seat depth: 53 cm
- Seat adjustable height: 50 - 58 cm
- Chair height: 132 - 140 cm
- Maximum load: 150 kg
- N.W.: 18 kg



Quantity 1 / Carton



GAMING CHAIR MAT



GAMING DESIGN



ERGO DESIGN



HIGH-DENSITY MATERIAL



Anti slip & noise cancelling & easy gliding

Extra-large size

GM01

TECH SPECS:

- Protect your hard floors and chair casters
- Smooth hard-wearing jersey surface allows easy chair movement
- Microfiber weave fabric
- Smooth hard-wearing jersey surface allows easy chair movement
- Extended durability
- Extra Large size: 1100 x 1100 x 2 mm



Quantity 1/ Carton



ADJUSTABLE, ERGONOMIC GAMING CHAIR



GAMING DESIGN



ERGO
DESIGN



ADJUSTABLE
ERGONOMICS



CH-301

TECH SPECS :

- 100 mm gas lift system
- 320 mm nylon base arms
- Materials: PU, PVC
- Backrest width: 50 cm
- Armrest height: 32 cm
- Seat width: 51 cm
- Backrest height: 68.5 cm
- Seat depth: 47 cm
- Seat adjustable height: 47.5- 57.5 cm
- Chair height: 109 - 119 cm
- Maximum load: 150 kg
- N.W.: 15kg



Butterfly adjusting mechanism;
360 degree rotation

Camber PVC armrest;
synthetic leather

Stable and sturdy nylon base ;
PU caster wheels



Quantity 1 /Carton



ADVANCED GAMING CHAIR



GAMING DESIGN



ADJUSTABLE
ERGONOMICS



HEAVY
DUTY DESIGN



Built-in wireless speakers

Butterfly adjusting mechanism
and 360° swivel

180° tilting backrest for
a flat position

Stable and sturdy steel
Base with pu caster wheels

CH-106 TECH SPECS :

Chair

- 100 mm gas lift system
- Materials: PU, PP
- Backrest width: 58 cm
- Armrest adjustable height: 60 - 68 cm
- Seat width: 56 cm
- Backrest height: 82 cm
- Seat depth: 50 cm
- Footrest size: 21 x 36 cm
- Chair height: 124 - 134 cm
- Maximum load: 150 kg
- N.W: 21 kg

Built-in wireless speaker

- Frequency response: 80Hz-15KHz
- Power rating: 5W/4Ω
- Speaker size: 3inch
- Working range: 10m
- Power supply: USB
- Function: Wireless 5.0



Quantity 1 / Carton



RGB LARGE SURFACE



GAMING DESIGN



ERGO DESIGN



HEAVY DUTY DESIGN

Headset hook

RGB side edge lighting

Game storage

Table & rock solid R-frame construction

DE-04

TECH SPECS:

- PB board 25mm
- Carbon fiber melamine sticker
- Iron tube thickness 1.2
- Powder coating surface/assitant leg with KD
- Size: 1080*600*75mm



Quantity 1/ Carton



 +593 98 345 8001

 Av. Mariscal Sucre s11 - 490 y El Canelo, Frente al CC Atahualpa

Quito - Miami - Hong Kong

info@opentecologyec.com

www.opentecologyec.com